

GLITTER SPECIFICATION

金葱粉常用规格






P. 2

SPECIAL-SHAPED GLITTER SPECIFICATION

异形亮片常用规格





3D STEREOSCOPIC GLITTER SPECIFICATION

3D 立体亮片规格

2mm 立体正方形



3mm 立体正方形



3mm 立体长方形



4mm 立体箭头



3mm 立体钻石



3mm 立体三角形



3mm 立体棱形



4mm 立体棱形



3mm 立体五角星



4mm 立体五角星



5mm 立体五角星



6mm 立体五角星



Usual Holographic Series

镭射系列

Size: 1/96" (Sizes from 1/4" to 1/500" available)
 Material: BOPET
 Heat Resistance: 180~200°C
 Solvent Resistance: Resistant to usual Acid and alkali solvent
 规格: 1/96 (可生产1/500-1/4各异形亮片)
 材质: BOPET
 耐温: 180°-200°C
 耐溶性: 可耐一般酸碱性溶剂

LB100 镭射银



LB101 钻石镭射银



LB200 镭射金



LB200A 钻石镭射金




LB201 镭射红金



LB210 镭射青金



LB210A 镭射青金



LB300 镭射红



LB304 镭射酒红



LB400 镭射橙



LB401 镭射浅铜



LB406 镭射咖啡



LB600 镭射绿



LB601 镭射浅绿



LB700 镭射蓝



LB701 镭射浅蓝



LB702 镭射碧绿蓝



LB705 镭射宝蓝



LB709 镭射深蓝



LB800 镭射紫















Usual Metallic Series

彩色、金色、银色系列

Size: 1/96" (Sizes from 1/4" to 1/500" available)
 Material: BOPET
 Heat Resistance: 160~200°C
 Solvent Resistance: Resistant to usual acid and alkali solvent.
 规格: 1/96 (可生产1/500-1/4各异形亮片)
 材质: BOPET
 耐温: 160°-200°C
 耐溶性: 可耐一般酸碱碱性溶剂







Usual Iridescent Series

普通幻彩系列

Size: 1/96" (Sizes from 1/4" to 1/500" available)
 Material: BOPET+PBT Complex
 Heat Resistance: 120~160℃
 Solvent Resistance: Resistant to Usual Acid or Alkali
 规格: 1/96 (可生产 1/256-1/4 各种异形亮片)
 材质: BOPET+PBT 复合
 耐温: 120°-160℃
 耐溶剂: 不可耐酸碱





High-Sparkling Original Iridescent Series

高亮原色幻彩系列

Size: Sizes from 1/8"~1/500" available
 Shape: Hexagon, Square and all special shapes available.
 Material: BOPET
 Heat Resistance: 120~160℃
 Solvent Resistance: Not resistant to solvent.
 规格: 可生产1/500-1/8, 各种异形亮片
 材质: BOPET
 耐温: 120°-160℃
 耐溶性: 不可耐酸碱



High-Sparkling Iridescent Series

高亮幻彩系列

Colors shown in 1/64". Sizes from 1/8" to 1/500" available. All special shapes available.
 Material: PBT
 Heat Resistance: 120~160℃
 Solvent Resistance: Not resistant to acid or alkali
 规格: 1/64 (可生产1/500-1/8, 各种异形亮片)
 材质: PBT
 耐温: 120°-160℃
 耐溶性: 不可耐酸碱



Pearl Iridescent Series

珍珠幻彩系列

Colors shown in 1/24" hexagon glitter. Sizes from 1/4" to 1/64" and special shapes available.
Material: PBT+White PET (Laminated)
Heat Resistance: 120~160°C
Solvent Resistance: Not resistant to acid or alkali
规格: 1/24 (可生产1/64-1/4, 各种异形亮片)
材质: PBT+乳白PET (贴合)
耐温: 120°-160°C
耐溶剂: 不耐酸碱



Gold Coast Seires

黄金海岸系列

Colors shown in 1/24" hexagon glitter. Sizes of 1/32, 1/24, 1/10 and 3D shapes available.
Thickness: 200u Material: PBT+White PET (Laminated)
Heat Resistance: 120~160°C
Solvent Resistance: Not Solvent to acid or alkali
规格: 1/24 (可生产1/32、1/24、1/10、3D系列亮片)
厚度: 200U 材质: PBT+乳白PET (贴合)
耐温: 120°-160°C 耐溶剂: 不耐酸碱



Half-transparent Fluorescent and Pure Color Series

半透明荧光、单色系列

Colors shown in 1/96" hexagon glitter. All shapes available for Fluorescent series.

Material: Fluorescent-BOPET, Pure Color-OPP

Heat Resistance: Fluorescent-180~200°C Pure Color-120~160°C

Solvent Resistance: Fluorescent- resistant to usual solvent, Pure Color- not resistant to solvent.

规格: 1/96 (可生产1/256-1/4) 荧光系列可做各规格异形

材质: 荧光BOPET、单色: OPP

耐温: 荧光180~200°C、单色: 120~160°C

耐酸碱: 荧光可耐一般酸碱、单色不耐酸碱



Fluorescent Series

荧光系列



Colors shown in 1/64" hexagon glitter. Sizes from 1/4" to 1/128" available. All special shapes available.

Material: BOPET

Heat Resistance: 180~200°C

Solvent Resistance: resistant to usual solvent.

规格: 1/64 (可生产1/128-1/4各规格异形)

材质: BOPET

耐温: 180~200°C

耐酸碱: 可耐一般酸碱



Greasepaint Series

油彩系列亮片

Round 1mm, 2mm and 3mm available. 1/16" and 1/24" available. 3D glitter/sequins available. Some special-shaped glitter/sequins available.

Thickness: 150u

Heat Resistance: 160~200°C

Solvent Resistance: Resistant to usual acid and alkali solvent

规格: 3D立体亮片, 可生产1/24、1/10等部分异形亮片

厚度: 150u

耐温: 160~200°C

材质: PET

耐溶性: 可耐一般酸碱



E001 2mm正方形



E002 2mm正方形



E003 2mm正方形



E004 2mm正方形



E005 3mm棱形



E006 3mm棱形



E007 3mm棱形



E008 3mm棱形



E009 3mm钻石



E010 3mm钻石



E011 3mm钻石



E012 3mm钻石



E013 4mm箭头



E014 4mm箭头



E015 4mm箭头



E016 4mm箭头



E017 4mm五角星



E018 4mm五角星



E019 4mm五角星



E020 4mm五角星



E021 3mm三角形



E022 3mm三角形



NIB 3mm五角星



NIG 3mm五角星



Matte Series

哑光系列亮片

Sizes from 1/4" to 1/128" available. All special shapes available.

Material: PET

Heat Resistance: 160~180°C

Solvent Resistance: Resistant to usual acid or alkali solvent.

规格: 1/128-1/4, 可生产各异形亮片

材质: PET 耐温: 160°-180°C

耐溶性: 可耐一般酸碱

Y1600 3mm心形



Y1601 3mm心形



Y1602 3mm心形



Y1603 3mm心形



Y1604 3mm心形



Y1605 3mm心形



Y1606 3mm心形



Y1607 3mm心形



Y1608 3mm心形



Y1609 3mm心形



Y1610 3mm心形



Y1612 3mm心形

Leopard Print Series
Stripped Holographic Series

豹纹、镭射条纹系列亮片

Sizes from 1/4" to 1/24" available. All special shapes available.

Material: PET

Heat Resistance: 160~180°C

Solvent Resistance: Resistant to usual acid and alkali solvent.

规格: 可生产1/24-1/4, 各种异形亮片

材质: PET

耐温: 160°-180°C

耐溶性: 可耐一般酸碱

9080 2mm圆形



9082 2mm圆形



9083 2mm圆形



9084 2mm圆形



Solvent-resistant Crystal Series

耐溶剂水晶系列

Sizes from 1/8" to 1/128" available. All special shapes available.

Material: PET

Heat Resistance: 180~200°C





Solvent Resistance: Resistant to Acid and Alkali.

规格: 可生产 1/128-1/8, 各异形亮片

材质: PET

耐温: 180°-200°C



耐溶剂: 可耐酸碱



Solvent-Resistant Metallic Series

耐溶剂彩色系列

Colors shown in 1/96" hexagon glitter. Sizes from 1/8" to 1/500" available. All special shapes available.
Material: PET
Heat Resistance: 160~200°C
Solvent Resistance: Resistant to acid and alkali
规格: 1/96 (可生产1/500-1/8, 各种异形亮片)
材质: PET
耐温: 160°-200°C
耐溶剂: 可耐酸碱



Solvent-resistant Pearl Series

耐溶剂珠光系列

Colors shown in 1/64" hexagon glitter. Sizes from 1/8" to 1/128" available. All special shapes available.
Material: PET
Heat Resistance: 180~200°C
Solvent Resistance: Resistant to acid and alkali
规格: 1/64 (可生产1/128-1/8, 各种异形亮片)
材质: PET
耐温: 180°-200°C
耐溶剂: 可耐酸碱






Solvent-resistant Iridescent Series

耐溶剂幻彩系列

Colors shown in 1/96". Sizes from 1/8"-1/256" available. All special shapes available.
 Material: PET
 Heat Resistance: 140~180°C
 Solvent Resistance: Resistant to acid and alkali.
 规格: 1/96 (可生产1/256-1/8, 各种异形亮片)
 材质: PET
 耐温: 140°-180°C
 耐溶性: 可耐酸碱



Ungrouped Products

特殊产品



Solvent-Resistant High-Sparkling Holographic Series

耐溶剂高亮镭射系列

Size: 1/170, 1/256, 1/360, 1/500 and 1/700 available.

Material: PET

Thickness: 12um

Heat Resistance: 160~200℃

These are super fine glitter. They are applied in nail polish, cosmetics, ink, paint, screen print, and ceramic tile seaming agent.

Excellent performance. Wide applications.

1.规格:可生产1/170、1/256、1/360、1/500、1/700

2.材质:PET、厚度: 12um

3.耐温:160~200℃

4.耐溶剂:可耐酸碱

该产品生产规格为主,可用于指甲油、彩妆、油墨、油漆、丝网印刷、美缝剂等各行业,性能极佳,用途特广

